UNITED STATES DEPARTMENT OF COMMERCE • Alexander B. Trowbridge, *Secretary*
NATIONAL BUREAU OF STANDARDS • A. V. Astin, *Director*

Engineering and Instrumentation

Section C

JOURNAL OF RESEARCH
of the
NATIONAL BUREAU OF STANDARDS

Volume 71C—January to December 1967

Papers 71C1-239 to 71C4-263

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402

Corrections to be noted in Volume 71 of the JOURNAL OF RESEARCH of the National Bureau of Standards—C. Engineering and Instrumentation

Page	Column	Line	Now reads in part	Should read
5		Eq (1.13)	$Q'_{r_1}=\frac{P_0}{4\pi rm\kappa}$	$Q'_{r_1}=\frac{P_0}{4\pi rm\kappa}$
			$\left[\sum_{s=1}^{m}\left\{\frac{\kappa(\rho^2-t^2)}{(\rho^2-2\rho t\cos\varphi_s+\rho^2t^2)^2}+\right.\right.$	$\left[\sum_{s=1}^{m}\left\{\frac{\kappa(\rho^2-t^2)}{(\rho^2-2\rho t\cos\varphi_s+\rho^2t^2)}+\right.\right.$
26	2	2 from bottom.	$(0.17+0.40)^{1/2}=0.43$	$(0.17^2+0.40^2)^{1/2}=0.43$
59	1	Footnote*	*Microwave Circuits Standards,	High Frequency Impedance Standards,
63	1	3	$L_n=L\infty+a_n-\mathscr{S}$	$L_n=L\infty+a_n-\mathscr{S}$
114	1	15	any balance	any unbalance
119	2	28	these similar specimens	these smaller specimens
162		Eq (52)	$=a^2G(f)(1+Q_a)*\{2(Q_{x_1}*Q_{y_1}$ $+Q_{y_1}*Q_{y_1})+Q_{z_1}*(Q_{x_1}+Q_{y_1})$ $+Q^1_{z_1}*(Q_{x_1}+Q_{y_1})+Q_{z^1_1}*Q_{z_1}\}\cdot$	$=a^2G(f)(1+Q_a)*\{2(Q_{x_1}*Q_{x_1}$ $+Q_{y_1}*Q_{y_1})+Q_{z_1}*(Q_{x_1}+Q_{y_1})$ $+Q_{z^1_1}*(Q_{x_1}+Q_{y_1})+Q_{z^1_1}*Q_{z_1}\}\cdot$
		Eq (53)	$+Q^1_{z_1}*(Q_{x_1}+Q_{y_1})+Q_{z^1_1}*Q_{z_1}\}df\Big]^{1/2}.$	$+Q_{z^1_1}*(Q_{x_1}+Q_{y_1})+Q_{z^1_1}*Q_{z_1}\}df\Big]^{1/2}.$
236	1	2 from bottom.	1 part in 10^{-7}	1 part in 10^7
297	Table 1	Caption	of l/b and a/b	of l/b and a/b

CONTENTS OF 71C

Volume 71C—No. 1—January–March 1967

Page

Dedication of the new NBS laboratories..... 1

Symmetrical bending of thin circular elastic plates on equally spaced point supports. A. F. Kirstein and R. M. Woolley..... 1

Ultrasonic measurement of cylinder expansion at pressures to 40 kilobars. Peter L. M. Heydemann and James C. Houck..... 11

A comparison of absorbed dose determinations in graphite by cavity ionization measurements and by calorimetry. Ben Petree and Paul Lamperti..... 19

Germanium resistance thermometry in the range 2.1 to 5.0 °K. M. H. Edlow and H. H. Plumb..... 29

Least squares technique for the analysis of periodic temperatures of the earth's surface region. Tamami Kusuda..... 43

A new near-zone electric-field-strength meter. Frank M. Greene..... 51

Inductance and characteristic impedance of a strip-transmission line. R. L. Brooke, C. A. Hoer, and C. H. Love..... 59

Tensor permeability measurements at L-band frequencies using a degenerate mode cavity. L. B. Schmidt, R. D. Harrington, and W. E. Case..... 69

Volume 71C—No. 2—April–June 1967

An apparatus for measuring thermal expansion at elevated temperatures. B. D. Rothrock and R. K. Kirby..... 85

Determination and smoothing of Fourier coefficients representing piecewise continuous functions. B. A. Peavy..... 93

A 2:1 ratio inductive voltage divider with less than 0.1 ppm error to 1 MHz. Cletus A. Hoer and Walter L. Smith..... 101

A dual-load flow calorimeter for rf power measurement to 4 GHz. M. L. Crawford and P. A. Hudson..... 111

Polymeric materials for dielectric reference specimens. Arnold H. Scott and Joseph R. Kinard, Jr..... 119

The sensitivity of the Dicke radiometer. David F. Wait..... 127

Sensitivity of a correlation radiometer. John J. Faris..... 153

Volume 71C—No. 3—July–September 1967

Procedure for high precision density determinations by hydrostatic weighing. Horace A. Bowman and Randall M. Schoonover with Appendix by M. W. Jones..... 179

Study of the storage stability of the barium fluoride film electric hygrometer element. Frank E. Jones..... 199

Torsion creep of circular and noncircular tubes. Leonard Mordfin..... 209

Digitized low-frequency phasemeter assembled from logic modules. John E. McKinney..... 227

Volume 71C—No. 4—October–December 1967

Page

Measurements of the thermal conductivity and electrical resistivity of platinum from 100 to 900 °C. D. R. Flynn and M. E. O'Hagan..... 255

Thermal conductivity and electrical resistivity of Armco iron. T. W. Watson D. R. Flynn, and H. E. Robinson..... 285

Heat flow in a right circular cylinder with internal heat generation-applications to the determination of thermal conductivity. D. R. Flynn..... 293

Radiation-induced acoustic cavitation; apparatus and some results. Martin Greenspan and Carl E. Tschiegg..... 299

Design of a new Kossel pattern generator. D. L. Vieth and H. Yakowitz..... 313

The near-zone magnetic field of a small circular-loop antenna. Frank M. Greene..... 319

U.S. GOVERNMENT PRINTING OFFICE : 1968 OL—289-073

INDEX

JOURNAL OF RESEARCH of the National Bureau of Standards—C. Engineering and Instrumentation
Vol. 71C, No. 4, October–December 1967

INDEX TO VOLUME 71C

January to December 1967

A

Page

Absorbed dose..... 19
Acoustic cavitation..... 299
Adsorption..... 119
Alpha-particle-induced cavitation..... 299
Armco iron..... 285
Attenuator..... 101

B

Balance..... 179
Balance calibration..... 179
Barium fluoride..... 199
Bowman, H. A., R. M. Schoonover, M. W. Jones, Procedures for high precision density determinations by hydrostatic weighing..... 179
Bridge..... 101
Brooke, R. I., C. A. Hoer, C. H. Love, Inductance and characteristic impedance of a strip-transmission line..... 57

C

Calibration at low temperatures..... 29
Calorimeter..... 19
Case, W. E., L. B. Schmidt, R. D. Harrington, Tensor permeability measurements at L-band frequencies using a degenerate mode cavity..... 69
Cavitation..... 299
Cavitation nucleus..... 299
Cavitation threshold..... 299
Cavity ionization chamber..... 19
Characteristic impedance..... 57
Circular plates..... 1
Coaxial..... 111
Cobalt-60 gamma rays..... 19
Comparison..... 19
Comparison of absorbed dose determinations in graphite by cavity ionization measurements and by calorimetry..... 19
Compressibility..... 11
Concentric loading..... 1
Conductivity..... 255, 285
Controlled-gradient vacuum furnace..... 85
Correlation radiometer..... 153
Crawford, M. L., P. A. Hudson, A dual-load flow calorimeter for rf power measurement to 4 GHz..... 111
Creep..... 209
Cylinder distortion..... 11

D

Degenerate mode cavity..... 69
Density..... 179
Design..... 1
Design of a new Kossel pattern generator..... 313
Determination and smoothing of Fourier coefficients representing piecewise continuous functions..... 93
Device, electro-explosive ordnance—field..... 51
Dicke..... 127
Dielectric constant..... 119
Differential time delay..... 153
Digital..... 227
Digitized low-frequency phasemeter assembled from logic modules..... 227
Dissipation factor..... 119
Divergent x-ray beam..... 313
Dual-load flow calorimeter for rf power measurement to 4 GHz..... 111

E

Page

Earth temperature..... 43
Edlow, M. H., H. H. Plumb, Germanium resistance thermometry in the range 2.1 to 5.0 °K..... 29
Elasticity experiment..... 1
Electric field strength—telemetry..... 51
Electric hygrometer..... 199
Electrical conductivity..... 255, 285
Electrical resistivity..... 255, 285
Electromagnetic radiation—line..... 51
Elevated temperatures..... 85

F

Faris, J. J., Sensitivity of a correlation radiometer..... 153
Fission-induced cavitation..... 299
Flow calorimeter..... 111
Fluorinated ethylene-propylene..... 119
Flynn, D. R., Heat flow in a right circular cylinder with internal heat generation-applications to the determination of thermal conductivity..... 293
—, *M. E. O'Hagan*, Measurements of the thermal conductivity and electrical resistivity of platinum from 100 to 900 °C..... 255
—, *T. W. Watson, H. E. Robinson*, Thermal conductivity and electrical resistivity of Armco iron..... 285
Fourier series..... 93
Frequency..... 119

G

Gain fluctuations..... 153
Germanium resistance thermometry in the range 2.1 to 5.0 °K.. 29
Germanium resistors..... 29
Graphite..... 19
Greene, F. M., A new near-zone electric-field-strength meter..... 51
—, The near-zone magnetic field of a small circular-loop antenna..... 319
Greenspan, M., C. E. Tschiegg, Radiation-induced acoustic cavitation; apparatus and some results..... 299

H

Page

Harrington, R. D., L. B. Schmidt, W. E. Case, Tensor permeability measurements at L-band frequencies using a degenerate mode cavity..... 69
Heat conduction..... 293
Heat conductivity..... 255
Heat flow in a right circular cylinder with internal heat generation-applications to the determination of thermal conductivity..... 293
Heat generation..... 293
Heat transfer..... 285
Heydemann, P. L. M., J. C. Houck, Ultrasonic measurement of cylinder expansion at pressures to 40 kilobars..... 11
High frequency..... 101
High pressure..... 11
Hoer, C. A., R. L. Brooke, C. H. Love, Inductance and characteristic impedance of a strip-transmission line..... 57
—, *W. L. Smith*, 2:1 ratio inductive voltage divider with less than 0.1 ppm error to 1 MHz..... 101
Houck, J. C., P. L. M. Heydemann, Ultrasonic measurement of cylinder expansion at pressures to 40 kilobars..... 11
Hudson, P. A., M. L. Crawford, A dual-load flow calorimeter for rf power measurement to 4 GHz..... 111
Humidity..... 119, 119
Hydrostatic weighing..... 179

I

Page

Imperfect multiplier 153
Inductance 57
Inductance and characteristic impedance of a strip-transmission line 57
Inductive voltage divider 101
Instrument design 313
Iron 285

J

Jones, F. E., Study of the storage stability of the barium fluoride film electric hygrometer element 199
Jones, M. W., H. A. Bowman, R. M. Schoonover, Procedure for high precision density determinations by hydrostatic weighing 179

K

Kinard, J. R., Jr., A. H. Scott, Polymeric materials for dielectric reference specimens 119
Kirby, R. K., B. D. Rothrock, An apparatus for measuring thermal expansion at elevated temperatures 85
Kirstein, A. F., R. M. Woolley, Symmetrical bending of thin circular elastic plates on equally spaced point supports 1
Kossel camera 313
Kossel method 313
Kusuda, T., Least squares technique for the analysis of periodic temperatures of earth's surface region 43

L

Lamperti, P., B. Petree, A comparison of absorbed dose determinations in graphite by cavity ionization measurements and by calorimetry 19
L-band cavity 69
Least squares technique 43
Least squares technique for the analysis of periodic temperatures of the earth's surface region 43
Logic circuit 227
Loop-antenna field strength 319
Lorenz function 255
Love, C. H., R. L. Brooke, C. A. Hoer, Inductance and characteristic impedance of a strip-transmission line 57
Low frequency 227
Low temperature thermometry 29

M

Magnetic field-strength standard 319
Maximum stresses 1
McKinney, J. D., Digitized low-frequency phasemeter assembled from logic modules 227
Measurements 227
Measurements of the thermal conductivity and electrical resistivity of platinum from 100 to 900 °C 255
Microwave 127
Mordfin, L., Torsion creep of circular and noncircular tubes 209
Mutual inductance of coaxial circular filaments 319

N

Near-zone electromagnetic—hazards 51
Near-zone magnetic field 319
Near-zone magnetic field of a small circular-loop antenna 319
Neutron absorption 293
Neutron-induced cavitation 299
New near-zone electric-field-strength meter 51
Nickel 11
Noise comparison signal 153
Nonidentical amplifiers 153
Nonmetallic electrical transmission—meter 51
Novel form 51

O

Page

O'Hagan, M. E., D. R. Flynn, Measurements of the thermal conductivity and electrical resistivity of platinum from 100 to 900 °C 255
Optical comparator 85

P

Peavy, B. A., Determination and smoothing of Fourier coefficients representing piecewise continuous functions 93
Petree, B., P. Lamperti, A comparison of absorbed dose determinations in graphite by cavity ionization measurements and by calorimetry 19
Phase 227
Phasemeter 227
Piecewise continuous functions 93
Platinum .....
Polycarbonate 119
Polycrystalline garnets 69
Poly(1,4-cyclohexylenedimethylene terephthalate) 119
Polyethylene 119
Polymeric materials for dielectric reference specimens 119
Polystyrene 119
Poly(tetrafluoroethylene) 119
Primary creep 209
Procedure for high density determinations by hydrostatic weighing 179
Plumb, H. H., M. H. Edlow, Germanium resistance thermometry in the range 2.1 to 5.0 °K 29

R

Radiation-induced acoustic cavitation; apparatus and some results 299
Radiation-induced cavitation 299
Radioactive decay 293
Radio frequency power 111
Radiometer 127
2:1 ratio inductive voltage divider with less than 0.1 ppm error to 1 MHz 101
Ratio transformer 101
Reference material .....
Reference specimens 119
Resistivity 285
Robinson, H. E., T. W. Watson, D. R. Flynn, Thermal conductivity and electrical resistivity of Armco iron 255
Rothrock, B. D., R. K. Kirby, An apparatus for measuring thermal expansion at elevated temperatures 85

S

Schmidt, L. B., R. D. Harrington, W. E. Case, Tensor permeability measurements at L-band frequencies using a degenerate mode cavity 69
Schoonover, R. M., H. A. Bowman, M. W. Jones, Procedure for high precision density determinations by hydrostatic weighing 179
Scott, A. H., J. R. Kinard, Jr., Polymeric materials for dielectric reference specimens 119
Secondary thermometry (2–5 °K) 29
Sensitivity 127
Sensitivity of a correlation radiometer 153
Sensitivity of the Dicke radiometer 127
Shear 209
Shell 209
Silicon density 179
Sine-wave comparison signal 153
Smith, W. L., C. A. Hoer, A 2:1 ratio inductive voltage divider with less than 0.1 ppm error to 1 MHz 101
Smoothing 93
Standard 255
Stress analysis 209
Strip-transmission lines 57
Study of the storage stability of the barium fluoride film electric hygrometer element 199
Switching 127

Page

Symmetrical bending..... 1
Symmetrical bending on thin circular elastic plates on equally spaced point supports..... 1
Symmetrically distributed load..... 1

T

Tellurium..... 11
Tensor permeability..... 69
Tensor permeability measurements at L-band frequencies using a degenerate mode cavity..... 69
Thermal conductivity.....255, 285, 293
Thermal conductivity and electrical resistivity of Armco iron... 285
Thermal diffusivity..... 43
Thermal expansion..... 85
Thermal expansion at elevated temperatures, an apparatus for measuring..... 85
Theory..... 1
Thin films..... 199
Thin wall..... 209
Threshold.....
Time..... 119
Torsion..... 209
Torsion creep of circular and noncircular tubes..... 209
Transmitting loop antenna..... 319
Tschiegg, C. E., M. Greenspan, Radiation-induced acoustic cavitation; apparatus and some results..... 299
Tube..... 209

U

Ultrasonic..... 11
Ultrasonic measurement of cylinder expansion at pressures to 40 kilobars..... 11

V

Vacuum..... 199
Veith, D. L., H. Yakowitz, Design of a new Kossel pattern generator—Volumetric measurement..... 313
Volumetric measurement..... 179

W

Wait, D. F., The sensitivity of the Dicke radiometer..... 127
Watson, T. W., D. R. Flynn, H. E. Robinson, Thermal conductivity and electrical resistivity of Armco iron..... 285
Woolley, R. M., A. F. Kirstein, Symmetrical bending of thin circular elastic plates on equally spaced point supports..... 1
$W \cdot s_m$..... 19

X

X-ray instrumentation..... 313

Y

Yakowitz, H., D. L. Vieth, Design of a new Kossel pattern generator..... 313

U.S. GOVERNMENT PRINTING OFFICE : 1967 OL—275-286